

CONTENTS: VOLUME 78

Number 1, pp. 1-350, February 1998

	PAGE
Preliminary studies on the export of organic matter during phytoplankton blooms off La Coruña (north-western Spain). Bode, A., Varela, M., Barquero, S., Alvarez-Ossorio, T. and Gonzalez, N.	1
Late autumn distribution and seasonality of chlorophyll- <i>a</i> at the shelf-break/slope region of the Armorican and Celtic Shelf. Garcia-Soto, C. and Pingree, R.D.	17
Pyrolysis mass spectrometry as a technique for studying inter- and intraspecific relationships in the genus <i>Fucus</i> . Hardy, F.G., Scott, G.W., Sisson, P.R., Lightfoot, N.F. and Mulyadi	35
Spatial variability in the distribution of sponges and cnidarians in a sublittoral marine cave with sulphur-water springs. Benedetti-Cecchi, L., Airoidi, L., Abbiati, M. and Cinelli, F.	43
<i>Alectona</i> species from western Pacific (Demospongiae: Clionidae). Bavestrello, G., Calcinai, B., Cerrano, C. and Sarà, M.	59
Revision of <i>Desmodora</i> with descriptions of new desmodorids (Nematoda) from hydrothermal vents of the Pacific. Verschelde, D., Goubault, N. and Vincx, M.	75
Ribosomal (rDNA) variation in a deep sea hydrothermal vent polychaete, <i>Alvinella pompejana</i> , from 13°N on the East Pacific Rise. Jollivet, D., Dixon, L.R.J., Desbruyères, D. and Dixon, D.R.	113
Population dynamics and secondary production of <i>Nereis diversicolor</i> in a north Norfolk saltmarsh (UK). Nithart, M.	131
A new genus and 12 new species of <i>Eunicidae</i> (Polychaeta) from the Caribbean Sea. Carrera-Parra, L.F. and Salazar-Vallejo, S.I.	145
Head kidneys in hatchlings of <i>Scoloplos armiger</i> (Annelida: Orbiniida): implications for the occurrence of protonephridia in lecithotrophic larvae. Bartolomaeus, T.	183
Aspects of the life histories of <i>Periculodes longimanus</i> , <i>Pontocrates arcticus</i> and <i>Synchelidium maculatum</i> (Crustacea: Amphipoda) at Millport, Scotland. Beare, D.J. and Moore, P.G.	193
New and little known Corophioidea (Amphipoda: Gammaridea) from Faroes and Icelandic waters. Myers, A.A.	211
A swimming crab new to the British fauna, <i>Liocarcinus vernalis</i> (Crustacea: Brachyura: Portunidae). Ingle, R.W. and Clark, P.F.	223
Allozyme similarity in two morphologically distinguishable populations of <i>Paracentrotus lividus</i> (Echinodermata) from distinct areas of the Mediterranean coast. Arculeo, M., Lo Brutto, S., Pancucci, M.A., Cammarata, M. and Parrinello, N.	231
<i>In vitro</i> consumption of <i>Caulerpa taxifolia</i> (chlorophyta) by accustomed and non-accustomed <i>Paracentrotus lividus</i> (Echinoid): seasonal variations. Ganteaume, A., Gobert, J., Malestroit, P., Ménager, V., Francour, P. and Boudouresque, C.-F.	239
Reproduction in the apodid sea cucumber <i>Polycheira rufescens</i> : semilunar spawning rhythm and sex change. Kubota, T. and Tomari, M.	249
Molecular genetic analysis of Atlanto-Scandian herring (<i>Clupea harengus</i>) populations using allozymes and mitochondrial DNA markers. Turan, C., Carvalho, C.R. and Mork, J.	269

Do leptocephali of the European eel swim to reach continental waters? Status of the question. McCleave, J.D., Brickley, P.J., O'Brien, K.M., Kistner, D.A., Wong, M.W., Gallagher, M. and Watson, S.M.	285
Mass settlement and post-settlement mortality of <i>Epinephelus merra</i> (Pisces: Serranidae) on Réunion coral reefs. Letourneur, Y., Chabanet, P., Vigliola, L. and Harmelin-Vivien, M.	307
Life history traits of <i>Hoplostethus mediterraneus</i> (Pisces: Beryciformes) from the north-western Ionian Sea (Mediterranean Sea). D'Onghia, G., Tursi, A., Marano, C.A. and Basanisi, M.	321
Dry weights, carbon and nitrogen content of decapod larvae from the plankton. Lindley, J.A.	341
Cold induced abnormal catches of sole. Horwood, J.W. and Millner, R.S.	345
Book Notices	349

Number 2, pp. 351-696, May 1998

Dynamic topography (ERS-1/2 and Seatruth) of subtropical ring (STORM 0) in the STORM corridor (32-34°N, Eastern Basin, North Atlantic Ocean). Pingree, R.D. and Sinha, B.	351
The effects of movement on population density estimates of mudflat epifauna. Barnes, R.S.K.	377
Composition and diversity of the benthic boundary layer macrofauna from the English Channel. Vallet, C. and Dauvin, J.-C.	387
The metazoan meiofauna in its biogeochemical environment: the case of an Antarctic coastal sediment. Vanhove, S., Lee, H.J., Beghyn, M., Van Gansbeke, D., Brockington, S. and Vincx, M.	411
Space occupation by the polychaetous annelid <i>Perinereis cultrifera</i> : influence of substratum heterogeneity and intraspecific interactions on burrow structure. Scaps, P., Brenot, S., Retière, C. and Desrosiers, G.	435
Feeding structures and their functions in adult and preadult <i>Tigriopus californicus</i> (Copepoda: Harpacticoida). Lewis, A.G., Chatters, L. and Raudsepp, M.	451
Seasonal abundance and population flux of <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) in Barkley Sound, British Columbia. Powlik, J.J.	467
Reproductive cycle of <i>Pollicipes pollicipes</i> at Cabo de Sines, south-west coast of Portugal. Cruz, T. and Hawkins, S.J.	483
The mechanism of active capture of animal food by the sergestid shrimp <i>Acetes sibogae australis</i> . Mcleay, L. and Alexander, C.G.	497
Feeding strategies and partition of food resources in deep-water decapod crustaceans (400-2300 m). Cartes, J.E.	509
Reproductive biology of the gregarious Mediterranean vermetid gastropod <i>Dendropoma petraeum</i> . Calvo, M., Templado, J. and Penchaszadeh, P.E.	525
Manila clam (<i>Ruditapes philippinarum</i>) culture in oyster bags: influence of density on survival, growth and biometric relationships. Cigarria, J. and Fernández, J.	551
The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl. Clarke, M.R. and Pascoe, P.L.	561
Age and growth of the myosid squid <i>Loliolus noctiluca</i> in Western Port, Victoria, determined from statolith microstructure analysis. Dimmlich, W.F. and Hoedt, F.E.	577
Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia. Platell, M.E. and Potter, I.C.	587
Recruitment and demographic variability in a lagoonal population of the blennid fish <i>Lipophrys pavo</i> . Ruchon, F., Laugier, T. and Quingard, J.-P.	609

Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores. Clarke, M. and Young, R.	623
Stomach contents of a northern bottlenose whale (<i>Hyperoodon ampullatus</i>) stranded at Hiddensee, Baltic Sea. Lick, R. and Piatkowski, U.	643
Acoustic structure and individual variation of grey seal (<i>Halichoerus grypus</i>) pup calls. Caudron, A.K., Kondakov, A.A. and Siryanov, S.V.	651
A natural spore trap for algae in polluted estuaries. Russell, G.	659
Note on the trophic relationships of the stauromedusa <i>Halicyclustus antarcticus</i> from subantarctic South Georgia. Davenport, J.	663
The parasitic rhizocephalan barnacle <i>Sacculina carcini</i> in crabs of the Forth Estuary, Scotland. Mathieson, S., Berry, A.J. and Kennedy, S.	665
Partial emergence of the bivalve <i>Donax vittatus</i> in response to abrupt changes in light intensity and before spawning. Ansell, A.D., Günther, C.-P. and Burrows, M.T.	669
Relationships between mating and sexual maturation of <i>Loligo gahi</i> females in Falkland waters. Rasero, M. and Portela, J.M.	673
Brand marks on the starfish, <i>Asterina pectinifera</i> . Kurihara, T.	677
Damage due to solar ultraviolet radiation in the brittlestar <i>Ophioderma brevispinum</i> (Echinodermata: Ophiuroidea). Johnsen, S. and Kier, W.M.	681
A note on the occurrence of the thresher shark, <i>Alopias vulpinus</i> from south-western Black Sea. Kabasakal, H.	685
On the occurrence of <i>Kyphosus sectator</i> (Osteichthyes: Kyphosidae) in the western Mediterranean. Merella, P., Massutí, E. and Deudero, S.	687
A note on the status of indigenous species of the sea horse. Garrick-Maidment, N.	691
Book Notices	693

Number 3, pp. 697-1044, August 1998

An appraisal of the stoichiometry of dissolved oxygen/nutrient inter-relationships in the upwelling system off northern Chile. Davies, A.G. and Morales, C.E.	697
The effect of bioturbation on Roxann [®] , a remote acoustic seabed discrimination system. Pinn, E.H. and Robertson, M.R.	707
Meiofaunal communities in a Malaysian mangrove forest. Somerfield, P.J., Gee, J.M. and Aryuthaka, C.	717
Utilization of macroalgal carbohydrates by the marine amoeba <i>Trichosphaerium sieboldi</i> . Rogerson, A., Williams, A.G. and Wilson, P.C.	733
A survey of shellfish toxicity in the central Adriatic Sea. Marasović, I., Ninčević, Ž., Pavela-Vrančić, M. and Orhanović, S.	745
Seasonal switching between relative importance of bottom-up and top-down control of bacterial and heterotrophic nanoflagellate abundance. Šolić, M., Krstulović, N., Bojanić, N., Marasović, I. and Ninčević, Ž.	755
Studies on some new and rare reported marine planktonic ciliates (Ciliophora: Oligotrichia) from coastal waters in north China. Song, W. and Bradbury, P.C.	767
A new species of poecilosclerid sponge (Porifera) from bathyal methane seeps in the Gulf of Mexico. Maldonado, M. and Young, C.M.	795
<i>Guitarra flamenca</i> sp. nov. (Porifera: Poecilosclerida) with a SEM revision of the spiny isochelae and placochelae in the genus. Carballo, J.L. and Uriz, M.J.	807
Divergence of nematocysts in two colour morphs of the intertidal beadlet anemone <i>Actinia equina</i> . Allcock, A.L., Watts, P.C. and Thorpe, J.P.	821
<i>Isanthus homolophilus</i> sp. nov. (Isanthidae: Actiniaria: Anthozoa) from French Polynesia. Chintiroglou, C.C. and Doumenc, D.	829

The life histories of the offshore oedicerotids <i>Westwoodilla caecula</i> and <i>Monoculodes packardii</i> (Crustacea: Amphipoda) from Loch Fyne, Scotland. Beare, D.J. and Moore, P.G.	835
Planktonic distribution of sea lice larvae, <i>Lepeophtheirus salmonis</i> , in Killary Harbour, west coast of Ireland. Costelloe, M., Costelloe, J., O'Donoghue, G., Coghlan, N.J., Oonk, M. and Heijden, Y. van der	853
Distribution of epibenthic Mollusca on a transect through the Beagle Channel (southern Chile). Linse, K. and Brandt, A.	875
Predation on juvenile lagoonal mud snails (<i>Hydrobia neglecta</i>). McArthur, V.E.	891
Observations on morphology, age and diet of three <i>Architeuthis</i> caught off the west coast of Ireland in 1995. Lordan, C., Collins, M.A. and Perales-Raya, C.	903
Correlates of growth and feeding in laboratory-maintained <i>Eledone cirrhosa</i> (Cephalopoda: Octopoda). Houlihan, D.F., Kelly, K. and Boyle, P.R.	919
A new species of <i>Chaperiopsis</i> (Bryozoa: Cheilostomatida) from South Africa. Fernández Pulpeiro, E. and Reverter Gil, O.	933
Determination of growth and age of slow growing brittle stars (Echinodermata: Ophiuroidea) from natural growth bands. Dahm, C. and Brey, T.	941
Food ingestion in the estuarine turtle <i>Malaclemys terrapin</i> : comparison with the marine leatherback turtle <i>Dermochelys coriacea</i> . Bels, V.L., Davenport, J. and Renous, S.	953
Patterns of marine turtle mortality in British waters (1992–1996) with reference to tissue contaminant levels. Godley, B.J. et al.	973
Morphological variation in <i>Fucus vesiculosus</i> populations along temperature and salinity gradients in Iceland. Kalvas, A. and Kautsky, L.	985
The occurrence of distinct morphotypes within a population of <i>Fucus spiralis</i> . Anderson, C.I.H. and Scott, G.W.	1003
First report of the bacterium <i>Thioploca</i> in the Benguela ecosystem off Namibia. Gallardo, V.A., Klingelhoeffer, E., Arntz, W. and Graco, M.	1007
Costs and benefits of swarming behaviour in mysids: does orientation and position in the swarm matter? Ritz, D.A. and Metillo, E.B.	1011
Predicting <i>Calanus finmarchicus</i> abundance from a climatic signal. Planque, B. and Reid, P.C.	1015
Interindividual trail following by the intertidal patellid limpet <i>Cellana toreuma</i> . Iwasaki, K.	1019
The cephalopod by-catch of deep-water trawling on the Hebrides slope. Boyle, P.R., Collins, M.A. and Williamson, G.R.	1023
<i>Chaunoteuthis mollis</i> : re-examination of a Mediterranean specimen and its identity with <i>Onychoteuthis banksii</i> (Cephalopoda: Onychoteuthidae). Bello, G.	1027
Presumptive viral erythrocytic necrosis in the benthopelagic fish <i>Coryphaenoides</i> (<i>Nematonurus</i>) <i>armatus</i> from the abyss west of Portugal. Davies, A.J. and Merrett, N.R.	1031
First record of the cornich blackfish <i>Schedophilus medusophagus</i> (Pisces: Centrolophidae) larvae from the Adriatic Sea. Dulčić, J.	1035
Strandings of small cetaceans in Hong Kong territorial waters. Parsons, E.C.M.	1039
Book Notices	1043

Number 4, pp. 1045–1394, November 1998

Benthic communities associated with a heavily fished scallop ground in the English Channel. Kaiser, M.J., Armstrong, P.J., Dare, P.J. and Flatt, R.P.	1045
Occurrence and activity of mobile macrofauna on a sublittoral reef: diel and seasonal variation. Nickell, L.A. and Sayer, M.D.J.	1061
<i>Higginsia ciccaresei</i> sp. nov. (Porifera: Demospongiae) from a marine cave on the Apulian coast (Mediterranean Sea). Pansini, M. and Pesce, G.L.	1083

<i>Hymedesmia canadensis</i> (Porifera: Poecilosclerida), a new species among new geographical records from the Bay of Fundy, New Brunswick, Canada. Ginn, B.K., Logan, A., Thomas, M.L.H. and Soest, R.W.M. van	1093
Biological cycle of <i>Podocoryna exigua</i> (Cnidaria: Hydrozoa) from a sandy bottom of the Ligurian Sea. Cerrano, C., Bavestrello, G., Puce, S. and Sarà, M.	1101
Karyotypic differences between two species of <i>Pomatoceros</i> , <i>P. triqueter</i> and <i>P. lamarckii</i> (Polychaeta: Serpulidae). Dixon, D.R., Pascoe, P.L. and Dixon, L.R.J.	1113
Variability of segment number and regeneration in <i>Spiochaetopterus solitarius</i> . Comparison with <i>S. costarum</i> (Polychaeta: Chaetopteridae). Bhaud, M.R.	1127
Osmotic and body density response in the Harpacticoid copepod <i>Tigriopus brevicornis</i> in supralittoral rock pools. McAllen, R.J., Taylor, A.C. and Davenport, J.	1143
Photoperiod length and the chronometric mechanism of the sun compass in Mediterranean sandhoppers. Ugolini, A. and Frittelli, F.	1155
Change of topography and sediment characteristics on an intertidal mud-flat following mass-mortality of the amphipod <i>Corophium volutator</i> . Mouritsen, K.N., Mouritsen, L.T. and Jensen, K.T.	1167
Spatial distribution and biological rhythms of suprabenthic mysids from the English Channel. Zouhiri, S., Vallet, C., Mouny, P. and Dauvin, J.-C.	1181
Cirral activity in the whale barnacle <i>Cryptolepas rhachianechi</i> . Achituv, Y.	1203
The alien Chinese mitten crab, <i>Eriocheir sinensis</i> , (Crustacea: Decapoda: Brachyura), in the Thames catchment. Clark, P.F., Rainbow, P.S., Robbins, R.S., Smith, B., Yeomans, W.E., Thomas, M. and Dobson, G.	1215
Route selection in the foraging of <i>Patella vulgata</i> (Mollusca: Gastropoda). Chelazzi, G., Santini, G. and Della Santina, P.	1223
Reproductive cycle of <i>Nassarius reticulatus</i> in the Ria de Aveiro, Portugal: implications for imposex studies. Barroso, C.M. and Moreira, M.H.	1233
Reproductive cycles of the razor clam <i>Ensis siliqua</i> and the clam <i>Venus striatula</i> off Vilamoura, southern Portugal. Gaspar, M.B. and Monteiro, C.C.	1247
Morphological variability in <i>Illex coindetii</i> (Cephalopoda: Ommastrephidae) along the north-west coast of Africa. Hernández-García, V. and Castro, J.J.	1259
Induction of emesis by the sodium channel activator veratrine in the lesser spotted dogfish, <i>Scyliorhinus canicula</i> (Chondrichthyes: Elasmobranchii). Andrews, P.L.R., Sims, D.W. and Young, J.Z.	1269
Associations between behavioural ontogeny and habitat change in clupeoid larvae. Higgs, D.M. and Fuiman, L.A.	1281
Feeding habits of <i>Alepocephalus rostratus</i> (Pisces: Alepocephalidae) in the western Mediterranean Sea. Carrassón, M. and Matallanas, J.	1295
The effect of ration on behaviour, food consumption and growth in juvenile greenback flounder (<i>Rhombosolea tapirina</i> : Teleostei). Shelverton, P.A. and Carter, C.G.	1307
On the development and structure of the escal light organ of some melanocetid deep sea anglerfishes (Pisces: Ceratioidei). Munk, O., Hansen, K. and Herring, P.J.	1321
Thermal conductivity of sand and its effect on the temperature of loggerhead sea turtle (<i>Caretta caretta</i>) nests. Speakman, J.R., Hays, G.C. and Lindblad, E.	1337
Acoustic assessment of populations of common dolphin off the west Wales coast, with perspectives from satellite infrared imagery. Goold, J.C.	1353
Phenotypic identification of three genetically differentiated morphs of the intertidal beadlet anemone <i>Actina equina</i> (Anthozoa: Cnidaria). Watts, P.C. and Thorpe, J.P.	1365
Benthic egg masses and larval development of <i>Amblyosyllis speciosa</i> (Polychaeta: Syllidae). Pernet, B.	1369

<i>Pholoe</i> (Polychaeta: Pholoidae) from northern Europe: a key and notes on the nearshore species. Petersen, M.E.	1373
The unstable seasonality of <i>Calanus finmarchicus</i> in the Fair Isle Current. Beare, D.J., McKenzie, E. and Speirs, D.C.	1377
Impact of winter mortalities on post-larval and juvenile stages, in <i>Ruditapes philippinarum</i> from western Brittany. Calvez, I. and Guillou, J.	1381
A note on the diet <i>Synaphobranchus kaupi</i> (Pisces: Synaphobranchidae) from the Porcupine Seabight, north-east Atlantic. Marques, A.	1385
A cumulative species description curve for large open water marine animals. Paxton, C.G.M.	1389
Announcement	1393
Index	(i)

